

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product name : NEDENS Reed Diffuser Angel 110ml

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Perfumery products

##### 1.2.2. Uses advised against

Restrictions on use : No data available

#### 1.3. Details of the supplier of the safety data sheet

##### LM Kozmetik San. Tic. Ltd. Şti.

Atatürk Sanayi Sitesi, Hakkı İleri Cad. No:75 Hadımköy / İstanbul

T +90 212 771 51 61 - 62 - F +90 212 771 51 11

[info@lmcosmetics.com](mailto:info@lmcosmetics.com) - [www.lmcosmetics.com](http://www.lmcosmetics.com)

#### 1.4. Emergency telephone number

Emergency number : +90 212 771 51 61 - 62

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225

Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.  
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground and bond container and receiving equipment.  
P241 - Use explosion-proof electrical/ventilating/lighting equipment.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH-statements :

EUH208 - Contains Benzyl Salicylate(118-58-1), Hydroxycitronellal(107-75-5), Geraniol(106-24-1), Cedryl Acetate(77-54-3), Methyl Cinnamate(103-26-4). May produce an allergic reaction.

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable



# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830

Issue date: 7/16/2020 Version: 1.0

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	70	Flam. Liq. 2, H225
Dipropylene Glycol Mono Methyl Ether	(CAS-No.) 34590-94-8 (EC-No.) 252-104-2	5-10	Not classified
PEA	(CAS-No.) 60-12-8 (EC-No.) 200-456-2	0.5-1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Hydroxycitronellal	(CAS-No.) 107-75-5 (EC-No.) 203-518-7	0.5-1	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Benzyl Benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9	0.5-1	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Benzyl Salicylate	(CAS-No.) 118-58-1 (EC-No.) 204-262-9	0.2 - 0.5	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Isoamyl Salicylate	(CAS-No.) 87-20-7 (EC-No.) 201-730-4	0.2 - 0.5	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Geraniol	(CAS-No.) 106-24-1 (EC-No.) 203-377-1	0.02 - 0.2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	(CAS-No.) 1222-05-5 (EC-No.) 214-946-9 (EC Index-No.) 603-212-00-7	0.02 - 0.2	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cedryl Acetate	(CAS-No.) 77-54-3 (EC-No.) 201-036-1	0.02 - 0.2	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cis-3-Hexenyl Salicylate	(CAS-No.) 65405-77-8 (EC-No.) 265-745-8	0.02 - 0.2	Aquatic Acute 1, H400
Juniperus Virginiana Wood Extract	(CAS-No.) 85085-41-2 (EC-No.) 285-370-3	0.02 - 0.2	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Methyl Cinnamate	(CAS-No.) 103-26-4 (EC-No.) 203-093-8	0.02 - 0.2	Skin Sens. 1B, H317
3,7,11-trimethyldodeca-1,6,10-trien-3-ol, mixed isomers	(CAS-No.) 7212-44-4 (EC-No.) 230-597-5	0.02 - 0.2	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
- First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention. Rinse skin with water/shower. Take off immediately all contaminated clothing.
- First-aid measures after eye contact : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Highly flammable liquid and vapour.
- Hazardous decomposition products in case of fire; : Toxic fumes may be released.

# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830

Issue date: 7/16/2020 Version: 1.0



### 5.3. Advice for firefighters

Protection during firefighting:

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid all unnecessary exposure. No open flames, no sparks, and no smoking.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Avoid all unnecessary exposure. Evacuate unnecessary personnel.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Collect in closed containers for disposal. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid all unnecessary exposure. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Keep container tightly closed and dry. Keep in a cool, well-ventilated place away from incompatible materials.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Ethanol (64-17-5)		
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	1920 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
Dipropylene Glycol Mono Methyl Ether (34590-94-8)		
EU	Local name	(2-Methoxymethylethoxy)-propanol
EU	IOELV TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	50 ppm
EU	Notes	Skin
EU	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom	Local name	Dipropylene Glycol Mono Methyl Ether
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	50 ppm
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
United Kingdom	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE



# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830

Issue date: 7/16/2020 Version: 1.0

<b>Ethanol (64-17-5)</b>	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	1900 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	950 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Acute - local effects, inhalation	950 mg/m <sup>3</sup>
Long-term - systemic effects, oral	87 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	114 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.96 mg/l
PNEC aqua (marine water)	0.79 mg/l
PNEC aqua (intermittent, freshwater)	2.75 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	3.6 mg/kg dwt
PNEC sediment (marine water)	2.9 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.63 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	0.72 g/kg food
PNEC (STP)	
PNEC sewage treatment plant	580 mg/l
<b>Dipropylene Glycol Mono Methyl Ether (34590-94-8)</b>	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	283 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	308 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	36 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	37.2 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	121 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	19 mg/l
PNEC aqua (marine water)	1.9 mg/l
PNEC aqua (intermittent, freshwater)	190 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	70.2 mg/kg dwt
PNEC sediment (marine water)	7.02 mg/kg dwt
PNEC (Soil)	
PNEC soil	2.74 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	4168 mg/l
<b>BENZYL SALICYLATE (118-58-1)</b>	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	0.9 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	3.17 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0.45 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.78 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	0.45 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.00103 mg/l
PNEC aqua (marine water)	0.000103 mg/l
PNEC aqua (intermittent, freshwater)	0.0103 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.583 mg/kg dwt
PNEC sediment (marine water)	0.0583 mg/kg dwt
PNEC (Soil)	



# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830

Issue date: 7/16/2020 Version: 1.0

<b>BENZYL SALICYLATE (118-58-1)</b>	
PNEC soil	0.116 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	80 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
<b>3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers (7212-44-4)</b>	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	2.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	10 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2.9 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	1.7 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.00051 mg/l
PNEC aqua (marine water)	0.00005 mg/l
PNEC aqua (intermittent, freshwater)	0.0051 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.0698 mg/kg dwt
PNEC sediment (marine water)	0.00698 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.0136 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10 mg/l
<b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)</b>	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	28.85 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	5.29 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	0.75 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1.3 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	14.43 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	4.4 µg/l
PNEC aqua (marine water)	0.44 µg/l
PNEC aqua (intermittent, freshwater)	47 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	2 mg/kg dwt
PNEC sediment (marine water)	0.394 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.31 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	3.3 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	1 mg/l
<b>Methyl cinnamate (103-26-4)</b>	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	4 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	28.2 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	2 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	6.96 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	2 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	2.76 µg/l
PNEC aqua (marine water)	0.276 µg/l
PNEC aqua (intermittent, freshwater)	27.6 µg/l



# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830  
Issue date: 7/16/2020 Version: 1.0

<b>Methyl cinnamate (103-26-4)</b>	
PNEC (Sediment)	
PNEC sediment (freshwater)	74 µg/kg dw
PNEC sediment (marine water)	7.4 µg/kg dw
PNEC (Soil)	
PNEC soil	13 µg/kg dw
PNEC (STP)	
PNEC sewage treatment plant	1.81 mg/l
<b>GERANIOL (106-24-1)</b>	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	12.5 mg/kg bodyweight/day
Long-term - local effects, dermal	11800 µg/cm <sup>2</sup>
Long-term - systemic effects, inhalation	161.6 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	13.75 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	47.8 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	7.5 mg/kg bodyweight/day
Long-term - local effects, dermal	11800 µg/cm <sup>2</sup>
PNEC (Water)	
PNEC aqua (freshwater)	0.0108 mg/l
PNEC aqua (marine water)	0.00108 mg/l
PNEC aqua (intermittent, freshwater)	0.108 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.115 mg/kg dwt
PNEC sediment (marine water)	0.0115 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.0167 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	7 mg/l

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Users are advised to consider national Occupational Exposure Limits or other equivalent values.

#### Hand protection:

Not required for normal conditions of use. Protective gloves. (in case of industrial handling conditions). Standard EN 374 - Protective gloves against chemicals. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

#### Eye protection:

Not required for normal conditions of use. Safety glasses with side shields. (in case of industrial handling conditions). Standard EN 166 - Personal eye-protection.

#### Skin and body protection:

Not required for normal conditions of use. Wear suitable protective clothing. Standard EN 14605 - Protective clothing against liquid chemicals. (in case of industrial handling conditions)

#### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment. Standard EN 14387 - Gas filter(s), combined filter(s) and full face mask - EN 136.

#### Personal protective equipment symbol(s):



#### Environmental exposure controls:

Avoid release to the environment.



# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830

Issue date: 7/16/2020 Version: 1.0

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Colour	: Yellow.
Odour	: Characteristics.
Odour threshold	: No data available
pH	: 5.5–6
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.846 g/cm <sup>3</sup>
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive. Vapours may form explosive mixture with air.
Oxidising properties	: Non oxidizing.
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Highly flammable liquid and vapour.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

<b>Ethanol (64-17-5)</b>	
LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
LD50 dermal rabbit	> 20000 ml/kg
LC50 inhalation rat (mg/l)	124.7 mg/l 4 h, air



# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830  
Issue date: 7/16/2020 Version: 1.0

<b>Dipropylene Glycol Mono Methyl Ether (34590-94-8)</b>	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat (ppm)	> 275 ppm
<b>Benzyl Salicylate (118-58-1)</b>	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal))
<b>3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers (7212-44-4)</b>	
LD50 oral rat	> 2610 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
<b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCb) (1222-05-5)</b>	
LD50 oral rat	> 4640 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 10000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>Methyl cinnamate (103-26-4)</b>	
LD50 oral rat	2610 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2000 - 3410
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>Geraniol (106-24-1)</b>	
LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
<b>Hydroxycitronellal (107-75-5)</b>	
LD50 oral rat	> 6400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
<b>PEA (60-12-8)</b>	
LD50 dermal rabbit	2535 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 1769 - 3634
<b>Benzyl Benzoate (120-51-4)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
<b>Cis-3-Hexenyl Salicylate (65405-77-8)</b>	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
<b>Geraniol (106-24-1)</b>	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
<b>Hydroxycitronellal (107-75-5)</b>	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity	: Not classified
<b>Benzyl Salicylate (118-58-1)</b>	
NOAEL (animal/male, F0/P)	540 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 415 (One-Generation Reproduction Toxicity Study)
NOAEL (animal/female, F0/P)	180 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 (One-Generation Reproduction Toxicity Study)





# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830

Issue date: 7/16/2020 Version: 1.0

<b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)</b>	
NOAEL (animal/female, F0/P)	20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products
NOAEL (animal/female, F1)	20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

<b>Ethanol (64-17-5)</b>	
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

<b>Dipropylene Glycol Mono Methyl Ether (34590-94-8)</b>	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:KANPOGYO No.700, YAKUHATSU No. 1039.61, and KIKYKU No. 1014.
NOAEL (dermal, rat/rabbit, 90 days)	2850 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

<b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)</b>	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

<b>Geraniol (106-24-1)</b>	
LOAEL (dermal, rat/rabbit, 90 days)	Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction/Developmental Toxicity Screening test), Guideline: other:EPA OPPTS 870.3550 (Reproduction/Developmental Toxicity Screening Test)

<b>Hydroxycitronellal (107-75-5)</b>	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

<b>PEA (60-12-8)</b>	
LOAEL (dermal, rat/rabbit, 90 days)	Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

<b>Benzyl Benzoate (120-51-4)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	781 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

<b>Cis-3-Hexenyl Salicylate (65405-77-8)</b>	
NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

<b>Ethanol (64-17-5)</b>	
LC50 fish 1	14.2 g/l Test organisms (species): Pimephales promelas
EC50 Daphnia 1	31700 mg/l 24 h, Streptocephalus rubricaudatus
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'

<b>Dipropylene Glycol Mono Methyl Ether (34590-94-8)</b>	
LC50 fish 1	> 1000 mg/l Test organisms (species): Poecilia reticulata
EC50 Daphnia 1	1919 mg/l (Daphnia magna)
EC50 other aquatic organisms 1	1930 mg/l Test organisms (species): other aquatic crustacea:Acartia tonsa
EC50 72h algae (1)	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)



# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830

Issue date: 7/16/2020 Version: 1.0

<b>Dipropylene Glycol Mono Methyl Ether (34590-94-8)</b>	
EC50 96h algae (1)	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
<b>Benzyl Salicylate (118-58-1)</b>	
LC50 fish 1	1.03 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	1.16 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	1.29 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
<b>3,7,11-trimethyldodeca-1,6,10-trien-3-ol,mixed isomers (7212-44-4)</b>	
LC50 fish 1	1.43 mg/l Test organisms (species): Pimephales promelas
EC50 Daphnia 1	510.3 µg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
<b>1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)</b>	
EC50 72h algae (1)	0.723 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h algae (2)	> 0.854 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.075 mg/l Test organisms (species): other aquatic crustacea:Acartia tonsa Duration: '5,5 d'
<b>Methyl Cinnamate (103-26-4)</b>	
LC50 fish 1	2.76 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	24 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
<b>Geraniol (106-24-1)</b>	
LC50 fish 1	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	10.8 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	13.1 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
<b>Hydroxycitronellal (107-75-5)</b>	
LC50 fish 1	31.6 mg/l Test organisms (species): Leuciscus idus
EC50 Daphnia 1	410 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	123.32 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
<b>PEA (60-12-8)</b>	
LC50 fish 1	215 – 464 mg/l Test organisms (species): Leuciscus idus
EC50 Daphnia 1	287.17 mg/l Test organisms (species): Daphnia magna
<b>Benzyl Benzoate (120-51-4)</b>	
LC50 fish 1	2.32 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	3.09 mg/l Test organisms (species): Daphnia magna
<b>Cis-3-Hexenyl Salicylate (65405-77-8)</b>	
LC50 fish 1	3.8 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 fish 2	1.13 – 3.78 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 Daphnia 1	2.7 mg/l Test organisms (species): Daphnia magna
EC50 72h algae (1)	0.61 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h algae (2)	0.28 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available






## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
 Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.  
 Additional information : Do not re-use empty containers. Flammable vapours may accumulate in the container.  
 European List of Waste (LoW) code : According to the European Waste Catalogue, waste codes are not product specific, but application specific. Waste codes should be assigned by the user.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
1266	1266	1266	1266	1266
<b>14.2. UN proper shipping name</b>				
PERFUMERY PRODUCTS	PERFUMERY PRODUCTS	Perfumery products	PERFUMERY PRODUCTS	PERFUMERY PRODUCTS
<b>Transport document description</b>				
UN 1266 PERFUMERY PRODUCTS, 3, II, (D/E)	UN 1266 PERFUMERY PRODUCTS, 3, II	UN 1266 Perfumery products, 3, II	UN 1266 PERFUMERY PRODUCTS, 3, II	UN 1266 PERFUMERY PRODUCTS, 3, II
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
				
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : F1  
 Special provisions (ADR) : 163, 640D  
 Limited quantities (ADR) : 5I  
 Excepted quantities (ADR) : E2  
 Packing instructions (ADR) : P001, IBC02, R001  
 Mixed packing provisions (ADR) : MP19  
 Portable tank and bulk container instructions (ADR) : T4  
 Portable tank and bulk container special provisions (ADR) : TP1, TP8  
 Tank code (ADR) : LGBF  
 Vehicle for tank carriage : FL  
 Transport category (ADR) : 2  
 Special provisions for carriage - Operation (ADR) : S2, S20  
 Hazard identification number (Kemler No.) : 33  
 Orange plates :



# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830

Issue date: 7/16/2020 Version: 1.0

Tunnel restriction code (ADR) : D/E  
EAC code : +3YE

### - Transport by sea

Special provisions (IMDG) : 163  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E2  
Packing instructions (IMDG) : P001  
IBC packing instructions (IMDG) : IBC02  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP1, TP8  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-D  
Stowage category (IMDG) : B

### - Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y341  
PCA limited quantity max net quantity (IATA) : 1L  
PCA packing instructions (IATA) : 353  
PCA max net quantity (IATA) : 5L  
CAO packing instructions (IATA) : 364  
CAO max net quantity (IATA) : 60L  
Special provisions (IATA) : A3, A72  
ERG code (IATA) : 3L

### - Inland waterway transport

Classification code (ADN) : F1  
Special provisions (ADN) : 163, 640D  
Limited quantities (ADN) : 5 L  
Excepted quantities (ADN) : E2  
Equipment required (ADN) : PP, EX, A  
Ventilation (ADN) : VE01  
Number of blue cones/lights (ADN) : 1

### - Rail transport

Classification code (RID) : F1  
Special provisions (RID) : 163, 640D  
Limited quantities (RID) : 5L  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P001, IBC02, R001  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T4  
Portable tank and bulk container special provisions (RID) : TP1, TP8  
Tank codes for RID tanks (RID) : LGBF  
Transport category (RID) : 2  
Colis express (express parcels) (RID) : CE7  
Hazard identification number (RID) : 33

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

### 15.1.2. National regulations

#### Germany

Regulatory reference	: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)
Employment restrictions	: Observe restrictions according Act on the Protection of Working Mothers (MuSchG) Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen	: Ethanol, Cis-3-Hexenyl Salicylate, Juniperus Virginiana Wood Extract are Listed
SZW-lijst van mutagene stoffen	: Cis-3-Hexenyl Salicylate, Juniperus Virginiana Wood Extract are Listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: Ethanol is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: Ethanol is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: Ethanol is listed

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

# Reed Diffuser

## Safety Data Sheet

according to Regulation (EU) 2015/830

Issue date: 7/16/2020 Version: 1.0



Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains BENZYL SALICYLATE(118-58-1), HYDROXYCITRONELLAL(107-75-5), GERANIOL(106-24-1), CEDRYL ACETATE(77-54-3), Methyl Cinnamate(103-26-4). May produce an allergic reaction.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	Calculation method
Aquatic Chronic 3	H412	Calculation method

*DISCLAIMER OF LIABILITY* The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable